

APPENDIX L:

ICH CAHPS DATA FILE STRUCTURE

An ICH CAHPS XML file is made up of 3 parts:

- 1) Header Record
- 2) Patient Data Record
- 3) Patient Response Record

There should be only one Header Record for each ICH CAHPS XML file. Each sampled patient within the ICH CAHPS XML file must have a Patient Data Record, and if survey results are being submitted for a sample patient, there must be a Patient Response Record for that patient.

This data file corresponds to the XML File Specifications Version 7.0. All elements of this file, including the header record, patient data record, and patient response data record must be submitted for each survey period.

Data Type:

A = Alphanumeric

N = Numeric

**XML Data File Layout
In-Center Hemodialysis CAHPS Survey
Version 7.0**

XML HEADER RECORD

The following section defines the format of the header record.

XML HEADER RECORD						
XML Element (NOTE: Data element names do not contain any spaces, underscores, or capital letters.)	Attributes	Description	Valid Values	Data Type	Field Size	Data Element Required
Facility Name <facility-name> Each element must have a closing tag that is the same as the opening tag but with a forward slash. This header element should only occur once per file. Example: <facility-name>Sample ICH Facility</facility-name>	None	Name of ICH Facility	—	Alphanumeric character	100	Yes
Facility ID <facility-id> Each element must have a closing tag that is the same as the opening tag but with a forward slash. This header element should only occur once per file. Example: <facility-id>123456</facility-id>	None	CMS Certification Number (CCN, formerly known as the Medicare Provider ID Number)	No Dashes or spaces Valid 6 digit CMS Certification Number	Alphanumeric character	6	Yes

XML HEADER RECORD (continued)

XML Element	Attributes	Description	Valid Values	Data Type	Field Size	Data Element Required
Semiannual Survey <sem-survey> Each element must have a closing tag that is the same as the opening tag but with a forward slash. This header element will occur again as an administration data element in the patient level data record. Example: <sem-survey>1</sem-survey>	None	ICH CAHPS Survey Period	1 = Spring Survey 2 = Fall Survey	Numeric	1	Yes
Survey Year <survey-yr> Each element must have a closing tag that is the same as the opening tag but with a forward slash. This header element will occur again as an administration data element in the patient level data record. Example: <survey-yr>2014</survey-yr>	None	ICH CAHPS Survey Year	YYYY (2014 or greater)	Numeric	4	Yes
Survey Mode <survey-mode> Each element must have a closing tag that is the same as the opening tag but with a forward slash. This header element will occur again as an administration data element in the patient level data record. Example: <survey-mode>1</survey-mode>	None	Mode of Survey Administration	1 = Mail only 2 = Telephone only 3 = Mixed mode Note: the Survey Mode must be the same for all patients for each ICH facility	Numeric	1	Yes

XML HEADER RECORD (continued)

XML Element	Attributes	Description	Valid Values	Data Type	Field Size	Data Element Required
Number of Patients Sampled <number-sampled> Each element must have a closing tag that is the same as the opening tag but with a forward slash. This header element should only occur once per file. Example:<number-sampled>450</number-sampled>	None	Number of patients sampled during this semiannual survey for this CCN	1-999	Numeric	3	Yes
Date Data Collection Period Began <dcstart-date> Each element must have a closing tag that is the same as the opening tag but with a forward slash. This header element should only occur once per file. Example:<dcstart-date>20141007</dcstart-date>	None	Date the data collection period began for this semiannual survey	YYYYMMDD (2014 or greater)	Numeric	8	Yes
Date Data Collection Period Ended <dcend-date> Each element must have a closing tag that is the same as the opening tag but with a forward slash. This header element should only occur once per file. Example: <dcend-date>20141215</dcend-date>	None	Date the data collection period ended for this semiannual survey	YYYYMMDD (2014 or greater)	Numeric	8	Yes

PATIENT ADMINISTRATIVE DATA RECORD

The following section defines the format of the patient administrative record.

XML Element	Attributes	Description	Valid Values	Data Type	Field Size	Data Element Required
Facility ID <facility-id> Each element must have a closing tag that is the same as the opening tag but with a forward slash. This administration element also occurs in the header record. Example: <facility-id>123456</facility-id>	None	CMS Certification Number (CCN, formerly known as the Medicare Provider ID Number)	No Dashes or spaces. Valid 6 digit CMS Certification Number	Alphanumeric character	6	Yes
Semiannual Survey <sem-survey> Each element must have a closing tag that is the same as the opening tag but with a forward slash. This header element will occur again as an administration data element in the patient level data record. Example: <sem-survey>1</sem-survey>	None	ICH CAHPS Survey Period	1 = Spring Survey 2 = Fall Survey	Numeric	1	Yes
Survey Year <survey-yr> Each element must have a closing tag that is the same as the opening tag but with a forward slash. This header element will occur again as an administration data element in the patient level data record. Example: <survey-yr>2014 </survey-yr>	None	ICH CAHPS Survey Year	YYYY (2014 or greater)	Numeric	4	Yes

PATIENT ADMINISTRATIVE DATA RECORD (continued)

XML Element	Attributes	Description	Valid Values	Data Type	Field Size	Data Element Required
Sample ID No. <sample-id> Each element must have a closing tag that is the same as the opening tag but with a forward slash. Example: <sample-id>S012345678</sample-id>	None	The ICH CAHPS Coordination Team will assign a unique de-identified sample identification number (SID) to each patient. The SID number will be used to track the data collection status for the patient throughout the survey administration process and to designate sample patients on the data file submitted to the Data Center.	For Spring Survey: S190100001- S191099999 For Fall Survey: F190100001- F191099999	Alphanumeric character	10	Yes

PATIENT ADMINISTRATIVE DATA RECORD (continued)

XML Element	Attributes	Description	Valid Values	Data Type	Field Size	Data Element Required
<p>Final Survey Status <final-status> Each element must have a closing tag that is the same as the opening tag but with a forward slash. This administration data element should only occur once per patient. Example: <final-status>110</final-status></p>	<p>None</p>	<p>Final disposition of survey</p>	<p>110 = Completed Mail Survey 120 = Completed Phone Survey 130 = Completed Mail Survey, Eligibility Unknown 140 = Ineligible: Not Currently Receiving Dialysis 150 = Ineligible: Deceased 160 = Ineligible: Does Not Meet Eligibility Criteria 170 = Ineligible: Language Barrier 180 = Ineligible: Mentally or Physically Incapacitated 190 = Ineligible: No Longer Receiving Care at Sample ICH Facility 199 = Ineligible: Proxy Completed Survey 210 = Breakoff 220 = Refusal 230 = Bad Address/ Undeliverable Mail 240 = Wrong/Disc/No Telephone Number 250 = No Response After Maximum Attempts</p>	<p>Numeric</p>	<p>3</p>	<p>Yes</p>

PATIENT ADMINISTRATIVE DATA RECORD (continued)

XML Element	Attributes	Description	Valid Values	Data Type	Field Size	Data Element Required
<p>Date Completed <date-completed></p> <p>Each element must have a closing tag that is the same as the opening tag but with a forward slash. This administration data element should only occur once per patient. Example: <date-completed>20141007</date-completed></p>	None	Date the completed mail survey was received or the telephone interview was completed.	YYYYMMDD. Enter 88888888 if the survey was not completed. Year cannot be earlier than 2014.	Numeric	8	Yes
<p>Survey Language <language></p> <p>Each element must have a closing tag that is the same as the opening tag but with a forward slash. This administration data element should only occur once per patient. Example: <language>1</language></p>	None	Language in which survey was completed	1 = English 2 = Spanish 3 = Traditional Chinese 4 = Simplified Chinese 5 = Samoan 6 = FUTURE LANG X = NOT APPLICABLE	Alphanumeric character	1	Yes
<p>Survey Mode <survey-mode></p> <p>Each element must have a closing tag that is the same as the opening tag but with a forward slash. This administration data element should only occur once per patient. Example: <survey-mode>1</survey-mode></p>	None	Survey completion mode	1 = mail 2 = phone interview X = NOT APPLICABLE	Alphanumeric character	1	Yes

PATIENT RESPONSE RECORD

Note: A Survey results record is required if the final <final-status> is “110-Completed Mail survey,” “120-Completed Phone survey,” “130-Completed Mail survey, Eligibility unknown,” “140-Ineligible: Not Currently Receiving Dialysis,” “160-Ineligible: Does not meet eligibility criteria,” “190-Ineligible: No longer receiving care at sample facility,” “199-Ineligible: Proxy Completed Survey,” or “210-Break-off”). Survey results records are not required for a valid data submission but if survey results are included then there must be an entry for every survey item in the ICH CAHPS Survey.

XML Element	Attributes	Description	Valid Values	Data Type	Field Size	Data Element Required
Q1 <where-dialysis> Each element must have a closing tag that is the same as the opening tag but with a forward slash. This patient response data element should only occur once per patient. Example: <where-dialysis>1</where-dialysis>	None	Where do you get your dialysis treatments?	At home or at a skilled nursing home where I live 1 At the dialysis center 2 Not currently receiving dialysis..... 3 MISSING/DK M	Alphanumeric character	1	Yes
Q2 <how-long-care> Each element must have a closing tag that is the same as the opening tag but with a forward slash. This patient response data element should only occur once per patient. Example: <how-long-care>1</how-long-care>	None	How long have you been getting dialysis at [SAMPLE FACILITY NAME]?	Less than 3 months..... 1 At least 3 months but less than 1 year..... 2 At least 1 year but less than 5 years 3 5 years or more 4 No longer at this center 5 NOT APPLICABLE ..X MISSING/DK M	Alphanumeric character	1	Yes

PATIENT RESPONSE RECORD (continued)

XML Element	Attributes	Description	Valid Values	Data Type	Field Size	Data Element Required
Q3 <dr-listen> Each element must have a closing tag that is the same as the opening tag but with a forward slash. This patient response data element should only occur once per patient. Example: <dr-listen>1</dr-listen>	None	In the last 3 months, how often did your kidney doctors listen carefully to you?	Never 1 Sometimes 2 Usually 3 Always..... 4 NOT APPLICABLE ..X MISSING/DK M	Alphanumeric character	1	Yes
Q4 <dr-explain> Each element must have a closing tag that is the same as the opening tag but with a forward slash. This patient response data element should only occur once per patient. Example: <dr-explain>1</dr-explain>	None	In the last 3 months, how often did your kidney doctors explain things in a way that was easy for you to understand?	Never 1 Sometimes 2 Usually 3 Always..... 4 NOT APPLICABLE ..X MISSING/DK M	Alphanumeric character	1	Yes
Q5 <dr-respect> Each element must have a closing tag that is the same as the opening tag but with a forward slash. This patient response data element should only occur once per patient. Example: <dr-respect>1</dr-respect>	None	In the last 3 months, how often did your kidney doctors show respect for what you had to say?	Never 1 Sometimes 2 Usually 3 Always..... 4 NOT APPLICABLE ..X MISSING/DK M	Alphanumeric character	1	Yes

PATIENT RESPONSE RECORD (continued)

XML Element	Attributes	Description	Valid Values	Data Type	Field Size	Data Element Required
Q6 <dr-time> Each element must have a closing tag that is the same as the opening tag but with a forward slash. This patient response data element should only occur once per patient. Example: <dr-time>1</dr-time>	None	In the last 3 months, how often did your kidney doctors spend enough time with you?	Never 1 Sometimes 2 Usually 3 Always..... 4 NOT APPLICABLE ..X MISSING/DK M	Alphanumeric character	1	Yes
Q7 <dr-care> Each element must have a closing tag that is the same as the opening tag but with a forward slash. This patient response data element should only occur once per patient. Example: <dr-care>1</dr-care>	None	In the last 3 months, how often did you feel your kidney doctors really cared about you as a person?	Never 1 Sometimes 2 Usually 3 Always..... 4 NOT APPLICABLE ..X MISSING/DK M	Alphanumeric character	1	Yes

PATIENT RESPONSE RECORD (continued)

XML Element	Attributes	Description	Valid Values	Data Type	Field Size	Data Element Required
<p>Q8 <rate-dr> Each element must have a closing tag that is the same as the opening tag but with a forward slash. This patient response data element should only occur once per patient. Example: <rate-dr>1</rate-dr></p>	None	Using any number from 0 to 10, where 0 is the worst kidney doctors possible and 10 is the best kidney doctors possible, what number would you use to rate the kidney doctors you have now?	Worst kidney doctors possible..... 0 1..... 1 2..... 2 3..... 3 4..... 4 5..... 5 6..... 6 7..... 7 8..... 8 9..... 9 Best kidney doctors possible..... 10 NOT APPLICABLE ..X MISSING/DK M	Alphanumeric character	2	Yes
<p>Q9 <dr-informed> Each element must have a closing tag that is the same as the opening tag but with a forward slash. This patient response data element should only occur once per patient. Example: <dr-informed>1</dr-informed></p>	—	Do your kidney doctors seem informed and up-to-date about the health care you receive from other doctors?	Yes 1 No..... 2 NOT APPLICABLE ..X MISSING/DK M	Alphanumeric character	1	Yes

PATIENT RESPONSE RECORD (continued)

XML Element	Attributes	Description	Valid Values	Data Type	Field Size	Data Element Required
Q10 <staff-listen> Each element must have a closing tag that is the same as the opening tag but with a forward slash. This patient response data element should only occur once per patient. Example: <staff-listen>1</staff-listen>	None	In the last 3 months, how often did the dialysis center staff listen carefully to you?	Never 1 Sometimes 2 Usually 3 Always..... 4 NOT APPLICABLE ..X MISSING/DK M	Alphanumeric character	1	Yes
Q11 <staff-explain> Each element must have a closing tag that is the same as the opening tag but with a forward slash. This patient response data element should only occur once per patient. Example: <staff-explain>1</staff-explain>	None	In the last 3 months, how often did the dialysis center staff explain things in a way that was easy for you to understand?	Never 1 Sometimes 2 Usually 3 Always..... 4 NOT APPLICABLE ..X MISSING/DK M	Alphanumeric character	1	Yes
Q12 <staff-respect> Each element must have a closing tag that is the same as the opening tag but with a forward slash. This patient response data element should only occur once per patient. Example: <staff-respect>1</staff-respect>	None	In the last 3 months, how often did the dialysis center staff show respect for what you had to say?	Never 1 Sometimes 2 Usually 3 Always..... 4 NOT APPLICABLE ..X MISSING/DK M	Alphanumeric character	1	Yes

PATIENT RESPONSE RECORD (continued)

XML Element	Attributes	Description	Valid Values	Data Type	Field Size	Data Element Required
Q13 <staff-time> Each element must have a closing tag that is the same as the opening tag but with a forward slash. This patient response data element should only occur once per patient. Example: <staff-time>1</staff-time>	None	In the last 3 months, how often did the dialysis center staff spend enough time with you?	Never 1 Sometimes 2 Usually 3 Always..... 4 NOT APPLICABLE ..X MISSING/DK M	Alphanumeric character	1	Yes
Q14 <staff-care> Each element must have a closing tag that is the same as the opening tag but with a forward slash. This patient response data element should only occur once per patient. Example: <staff-care>1</staff-care>	None	In the last 3 months, how often did you feel the dialysis center staff really cared about you as a person?	Never 1 Sometimes 2 Usually 3 Always..... 4 NOT APPLICABLE ..X MISSING/DK M	Alphanumeric character	1	Yes
Q15 <make-comfortable> Each element must have a closing tag that is the same as the opening tag but with a forward slash. This patient response data element should only occur once per patient. Example: <make-comfortable>1</make-comfortable>	None	In the last 3 months, how often did dialysis center staff make you as comfortable as possible during dialysis?	Never 1 Sometimes 2 Usually 3 Always..... 4 NOT APPLICABLE ..X MISSING/DK M	Alphanumeric character	1	Yes

PATIENT RESPONSE RECORD (continued)

XML Element	Attributes	Description	Valid Values	Data Type	Field Size	Data Element Required
Q16 <info-private> Each element must have a closing tag that is the same as the opening tag but with a forward slash. This patient response data element should only occur once per patient. Example: <info-private>1</info-private>	None	In the last 3 months, did dialysis center staff keep information about you and your health as private as possible from other patients?	Yes 1 No 2 NOT APPLICABLE ..X MISSING/DK M	Alphanumeric character	1	Yes
Q17 <ask-staff> Each element must have a closing tag that is the same as the opening tag but with a forward slash. This patient response data element should only occur once per patient. Example: <ask-staff>1</ask-staff>	None	In the last 3 months, did you feel comfortable asking the dialysis center staff everything you wanted about dialysis care?	Yes 1 No 2 NOT APPLICABLE ..X MISSING/DK M	Alphanumeric character	1	Yes
Q18 <ask-affects> Each element must have a closing tag that is the same as the opening tag but with a forward slash. This patient response data element should only occur once per patient. Example: <ask-affects>1</ask-affects>	None	In the last 3 months, has anyone on the dialysis center staff asked you about how your kidney disease affects other parts of your life?	Yes 1 No 2 NOT APPLICABLE ..X MISSING/DK M	Alphanumeric character	1	Yes

PATIENT RESPONSE RECORD (continued)

XML Element	Attributes	Description	Valid Values	Data Type	Field Size	Data Element Required
Q19 <take-care> Each element must have a closing tag that is the same as the opening tag but with a forward slash. This patient response data element should only occur once per patient. Example: <take-care>1</take-care>	None	The dialysis center staff can connect you to the dialysis machine through a graft, fistula, or catheter. Do you know how to take care of your graft, fistula, or catheter?	Yes 1 No 2 NOT APPLICABLE ..X MISSING/DK M	Alphanumeric character	1	Yes
Q20 <connect-machine> Each element must have a closing tag that is the same as the opening tag but with a forward slash. This patient response data element should only occur once per patient. Example: <connect-machine>1</connect-machine>	None	In the last 3 months, which one did they use most often to connect you to the dialysis machine?	Graft 1 Fistula 2 Catheter 3 I don't know 4 NOT APPLICABLE ..X MISSING/DK M	Alphanumeric character	1	Yes
Q21 <little-pain> Each element must have a closing tag that is the same as the opening tag but with a forward slash. This patient response data element should only occur once per patient. Example: <little-pain>1</little-pain>	None	In the last 3 months, how often did dialysis center staff insert your needles with as little pain as possible?	Never 1 Sometimes 2 Usually 3 Always 4 I/You insert my/ your own needles 5 NOT APPLICABLE ..X MISSING/DK M	Alphanumeric character	1	Yes

PATIENT RESPONSE RECORD (continued)

XML Element	Attributes	Description	Valid Values	Data Type	Field Size	Data Element Required
Q22 <check-closely> Each element must have a closing tag that is the same as the opening tag but with a forward slash. This patient response data element should only occur once per patient. Example: <check-closely>1</check-closely>	None	In the last 3 months, how often did dialysis center staff check you as closely as you wanted while you were on the dialysis machine?	Never 1 Sometimes 2 Usually 3 Always..... 4 NOT APPLICABLE ..X MISSING/DK M	Alphanumeric character	1	Yes
Q23 <problems> Each element must have a closing tag that is the same as the opening tag but with a forward slash. This patient response data element should only occur once per patient. Example: <problems>1</problems>	None	In the last 3 months, did any problems occur during your dialysis?	Yes 1 No 2 NOT APPLICABLE ..X MISSING/DK M	Alphanumeric character	1	Yes
Q24 <manage-problems> Each element must have a closing tag that is the same as the opening tag but with a forward slash. This patient response data element should only occur once per patient. Example: <manage-problems>1</manage-problems>	None	In the last 3 months, how often was the dialysis center staff able to manage problems during your dialysis?	Never 1 Sometimes 2 Usually 3 Always..... 4 NOT APPLICABLE ..X MISSING/DK M	Alphanumeric character	1	Yes

PATIENT RESPONSE RECORD (continued)

XML Element	Attributes	Description	Valid Values	Data Type	Field Size	Data Element Required
Q25 <behave-professionally> Each element must have a closing tag that is the same as the opening tag but with a forward slash. This patient response data element should only occur once per patient. Example: <behave-professionally>1</behave-professionally>	None	In the last 3 months, how often did dialysis center staff behave in a professional manner?	Never 1 Sometimes 2 Usually 3 Always..... 4 NOT APPLICABLE ..X MISSING/DK M	Alphanumeric character	1	Yes
Q26 <talk-about-eat> Each element must have a closing tag that is the same as the opening tag but with a forward slash. This patient response data element should only occur once per patient. Example: <talk-about-eat>1</talk-about-eat>	None	In the last 3 months, did dialysis center staff talk to you about what you should eat and drink?	Yes 1 No 2 NOT APPLICABLE ..X MISSING/DK M	Alphanumeric character	1	Yes
Q27 <explain-bloodtest> Each element must have a closing tag that is the same as the opening tag but with a forward slash. This patient response data element should only occur once per patient. Example: <explain-bloodtest>1</explain-bloodtest>	None	In the last 3 months, how often did dialysis center staff explain blood test results in a way that was easy to understand?	Never 1 Sometimes 2 Usually 3 Always..... 4 NOT APPLICABLE ..X MISSING/DK M	Alphanumeric character	1	Yes

PATIENT RESPONSE RECORD (continued)

XML Element	Attributes	Description	Valid Values	Data Type	Field Size	Data Element Required
Q28 <your-rights> Each element must have a closing tag that is the same as the opening tag but with a forward slash. This patient response data element should only occur once per patient. Example: <your-rights>1</your-rights>	None	As a patient you have certain rights. For example, you have the right to be treated with respect and the right to privacy. Did this dialysis center ever give you any written information about your rights as a patient?	Yes 1 No 2 NOT APPLICABLE ..X MISSING/DK M	Alphanumeric character	1	Yes
Q29 <review-rights> Each element must have a closing tag that is the same as the opening tag but with a forward slash. This patient response data element should only occur once per patient. Example: <review-rights>1</review-rights>	None	Did dialysis center staff at this center ever review your rights as a patient with you?	Yes 1 No 2 NOT APPLICABLE ..X MISSING/DK M	Alphanumeric character	1	Yes
Q30 <what-dohome> Each element must have a closing tag that is the same as the opening tag but with a forward slash. This patient response data element should only occur once per patient. Example: <what-dohome>1</what-dohome>	None	Has dialysis center staff ever told you what to do if you experience a health problem at home?	Yes 1 No 2 NOT APPLICABLE ..X MISSING/DK M	Alphanumeric character	1	Yes

PATIENT RESPONSE RECORD (continued)

XML Element	Attributes	Description	Valid Values	Data Type	Field Size	Data Element Required
Q31 <getoff-machine> Each element must have a closing tag that is the same as the opening tag but with a forward slash. This patient response data element should only occur once per patient. Example: <getoff-machine>1</getoff-machine>	None	Has any dialysis center staff ever told you how to get off the machine if there is an emergency at the center?	Yes 1 No 2 NOT APPLICABLE ..X MISSING/DK M	Alphanumeric character	1	Yes
Q32 <rate-staff> Each element must have a closing tag that is the same as the opening tag but with a forward slash. This patient response data element should only occur once per patient. Example: <rate-staff>2</rate-staff>	None	Using any number from 0 to 10, where 0 is the worst dialysis center staff possible and 10 is the best dialysis center staff possible, what number would you use to rate your dialysis center staff?	Worst dialysis center staff possible..... 0 1 1 2 2 3 3 4 4 5 5 6 6 7 7 8 8 9 9 Best dialysis center staff possible..... 10 NOT APPLICABLE ..X MISSING/DK M	Alphanumeric character	2	Yes

PATIENT RESPONSE RECORD (continued)

XML Element	Attributes	Description	Valid Values	Data Type	Field Size	Data Element Required
Q33 <onmachine-15min> Each element must have a closing tag that is the same as the opening tag but with a forward slash. This patient response data element should only occur once per patient. Example: <onmachine-15min>1</onmachine-15min>	None	In the last 3 months, when you arrived on time, how often did you get put on the dialysis machine within 15 minutes of your appointment or shift time?	Never 1 Sometimes 2 Usually 3 Always..... 4 NOT APPLICABLE ..X MISSING/DK M	Alphanumeric character	1	Yes
Q34 <center-clean> Each element must have a closing tag that is the same as the opening tag but with a forward slash. This patient response data element should only occur once per patient. Example: <center-clean>1</center-clean>	None	In the last 3 months, how often was the dialysis center as clean as it could be?	Never 1 Sometimes 2 Usually 3 Always..... 4 NOT APPLICABLE ..X MISSING/DK M	Alphanumeric character	1	Yes

PATIENT RESPONSE RECORD (continued)

XML Element	Attributes	Description	Valid Values	Data Type	Field Size	Data Element Required
Q35 <rate-center> Each element must have a closing tag that is the same as the opening tag but with a forward slash. This patient response data element should only occur once per patient. Example: <rate-center>1</rate-center>	None	Using any number from 0 to 10, where 0 is the worst dialysis center possible and 10 is the best dialysis center possible, what number would you use to rate this dialysis center?	Worst dialysis center possible..... 0 1..... 1 2..... 2 3..... 3 4..... 4 5..... 5 6..... 6 7..... 7 8..... 8 9..... 9 Best dialysis center possible..... 10 NOT APPLICABLE ..X MISSING/DK M	Alphanumeric character	2	Yes
Q36 <talk-treatment> Each element must have a closing tag that is the same as the opening tag but with a forward slash. This patient response data element should only occur once per patient. Example: <talk-treatment>1</talk-treatment>	None	You can treat kidney disease with dialysis at a center, a kidney transplant, or with dialysis at home. In the last 12 months, did your kidney doctors or dialysis center staff talk to you as much as you wanted about which treatment is right for you?	Yes 1 No..... 2 NOT APPLICABLE ..X MISSING/DK M	Alphanumeric character	1	Yes

PATIENT RESPONSE RECORD (continued)

XML Element	Attributes	Description	Valid Values	Data Type	Field Size	Data Element Required
Q37 <eligible-transplant> Each element must have a closing tag that is the same as the opening tag but with a forward slash. This patient response data element should only occur once per patient. Example: <eligible-transplant>1</eligible-transplant>	None	Are you eligible for a kidney transplant?	Yes 1 No 2 I don't know 3 NOT APPLICABLE ..X MISSING/DKM	Alphanumeric character	1	Yes
Q38 <explain-ineligible> Each element must have a closing tag that is the same as the opening tag but with a forward slash. This patient response data element should only occur once per patient. Example: <explain-ineligible>1</explain-ineligible>	None	In the last 12 months, has a doctor or dialysis center staff explained to you why you are not eligible for a kidney transplant?	Yes 1 No 2 NOT APPLICABLE ..X MISSING/DKM	Alphanumeric character	1	Yes
Q39 <talk-peritoneal> Each element must have a closing tag that is the same as the opening tag but with a forward slash. This patient response data element should only occur once per patient. Example: <talk-peritoneal>1</talk-peritoneal>	None	Peritoneal dialysis is dialysis given through the belly and is usually done at home. In the last 12 months, did either your kidney doctors or dialysis center staff talk to you about peritoneal dialysis?	Yes 1 No 2 NOT APPLICABLE ..X MISSING/DKM	Alphanumeric character	1	Yes

PATIENT RESPONSE RECORD (continued)

XML Element	Attributes	Description	Valid Values	Data Type	Field Size	Data Element Required
Q40 <choose-treatment> Each element must have a closing tag that is the same as the opening tag but with a forward slash. This patient response data element should only occur once per patient. Example: <choose-treatment>1</choose-treatment>	None	In the last 12 months, were you as involved as much as you wanted in choosing the treatment for kidney disease that is right for you?	Yes 1 No 2 NOT APPLICABLE ..X MISSING/DK M	Alphanumeric character	1	Yes
Q41 <unhappy-care> Each element must have a closing tag that is the same as the opening tag but with a forward slash. This patient response data element should only occur once per patient. Example: <unhappy-care>1</unhappy-care>	None	In the last 12 months, were you ever unhappy with the care you received at the dialysis center or from your kidney doctors?	Yes 1 No 2 NOT APPLICABLE ..X MISSING/DK M	Alphanumeric character	1	Yes
Q42 <talk-withstaff> Each element must have a closing tag that is the same as the opening tag but with a forward slash. This patient response data element should only occur once per patient. Example: <talk-withstaff>1</talk-withstaff>	None	In the last 12 months, did you ever talk to someone on the dialysis center staff about this?	Yes 1 No 2 NOT APPLICABLE ..X MISSING/DK M	Alphanumeric character	1	Yes

PATIENT RESPONSE RECORD (continued)

XML Element	Attributes	Description	Valid Values	Data Type	Field Size	Data Element Required
Q43 <satisfied-problems> Each element must have a closing tag that is the same as the opening tag but with a forward slash. This patient response data element should only occur once per patient. Example: <satisfied-problems>1</satisfied-problems>	None	In the last 12 months, how often were you satisfied with the way they handled these problems?	Never 1 Sometimes 2 Usually 3 Always..... 4 NOT APPLICABLE ..X MISSING/DK M	Alphanumeric character	1	Yes
Q44 <make-complaint> Each element must have a closing tag that is the same as the opening tag but with a forward slash. This patient response data element should only occur once per patient. Example: <make-complaint>1</make-complaint>	None	Medicare and your State have special agencies that check the quality of care at this dialysis center. In the last 12 months, did you make a complaint to any of these agencies?	Yes 1 No 2 NOT APPLICABLE ..X MISSING/DK M	Alphanumeric character	1	Yes
Q45 <overall-health> Each element must have a closing tag that is the same as the opening tag but with a forward slash. This patient response data element should only occur once per patient. Example: <overall-health>1</overall-health>	None	In general, how would you rate your overall health?	Excellent..... 1 Very good..... 2 Good..... 3 Fair 4 Poor 5 MISSING/DK M	Alphanumeric character	1	Yes

PATIENT RESPONSE RECORD (continued)

XML Element	Attributes	Description	Valid Values	Data Type	Field Size	Data Element Required
Q46 <mental-health> Each element must have a closing tag that is the same as the opening tag but with a forward slash. This patient response data element should only occur once per patient. Example: <mental-health>1</mental-health>	None	In general, how would you rate your overall mental or emotional health?	Excellent..... 1 Very good..... 2 Good..... 3 Fair 4 Poor 5 MISSING/DK M	Alphanumeric character	1	Yes
Q47 <high-bloodpressure> Each element must have a closing tag that is the same as the opening tag but with a forward slash. This patient response data element should only occur once per patient. Example: <high-bloodpressure>1</high-bloodpressure>	None	Are you being treated for high blood pressure?	Yes 1 No..... 2 MISSING/DK M	Alphanumeric character	1	Yes
Q48 <diabetes> Each element must have a closing tag that is the same as the opening tag but with a forward slash. This patient response data element should only occur once per patient. Example: <diabetes>1</diabetes>	None	Are you being treated for diabetes or high blood sugar?	Yes 1 No..... 2 MISSING/DK M	Alphanumeric character	1	Yes

PATIENT RESPONSE RECORD (continued)

XML Element	Attributes	Description	Valid Values	Data Type	Field Size	Data Element Required
Q49 <heart-disease> Each element must have a closing tag that is the same as the opening tag but with a forward slash. This patient response data element should only occur once per patient. Example: <heart-disease>1</heart-disease>	None	Are you being treated for heart disease or heart problems?	Yes 1 No 2 MISSING/DK M	Alphanumeric character	1	Yes
Q50 <deaf> Each element must have a closing tag that is the same as the opening tag but with a forward slash. This patient response data element should only occur once per patient. Example: <deaf>1</deaf>	None	Are you deaf or do you have serious difficulty hearing?	Yes 1 No 2 MISSING/DK M	Alphanumeric character	1	Yes
Q51 <blind> Each element must have a closing tag that is the same as the opening tag but with a forward slash. This patient response data element should only occur once per patient. Example: <blind>1</blind>	None	Are you blind or do you have serious difficulty seeing, even when wearing glasses?	Yes 1 No 2 MISSING/DK M	Alphanumeric character	1	Yes

PATIENT RESPONSE RECORD (continued)

XML Element	Attributes	Description	Valid Values	Data Type	Field Size	Data Element Required
Q52 <difficulty-concentrating> Each element must have a closing tag that is the same as the opening tag but with a forward slash. This patient response data element should only occur once per patient. Example: <difficulty-concentrating>1</difficulty-concentrating>	None	Because of a physical, mental, or emotional condition, do you have serious difficulty concentrating, remembering, or making decisions?	Yes 1 No 2 MISSING/DK M	Alphanumeric character	1	Yes
Q53 <difficulty-walking> Each element must have a closing tag that is the same as the opening tag but with a forward slash. This patient response data element should only occur once per patient. Example: <difficulty-walking>1</difficulty-walking>	None	Do you have serious difficulty walking or climbing stairs?	Yes 1 No 2 MISSING/DK M	Alphanumeric character	1	Yes
Q54 <difficulty-dressing> Each element must have a closing tag that is the same as the opening tag but with a forward slash. This patient response data element should only occur once per patient. Example: <difficulty-dressing>1</difficulty-dressing>	None	Do you have difficulty dressing or bathing?	Yes 1 No 2 MISSING/DK M	Alphanumeric character	1	Yes

PATIENT RESPONSE RECORD (continued)

XML Element	Attributes	Description	Valid Values	Data Type	Field Size	Data Element Required
Q55 <difficulty-errands> Each element must have a closing tag that is the same as the opening tag but with a forward slash. This patient response data element should only occur once per patient. Example: <difficulty-errands>1</difficulty-errands>	None	Because of a physical, mental, or emotional condition, do you have difficulty doing errands alone, such as visiting a doctor's office or shopping?	Yes 1 No 2 MISSING/DK M	Alphanumeric character	1	Yes

PATIENT RESPONSE RECORD (continued)

XML Element	Attributes	Description	Valid Values	Data Type	Field Size	Data Element Required
Q56 <education> Each element must have a closing tag that is the same as the opening tag but with a forward slash. This patient response data element should only occur once per patient. Example: <education>1</education>	None	What is the highest grade or level of school that you have completed?	No formal education... 1 5 th grade or less..... 2 6 th , 7 th or 8 th grade..... 3 Some high school, but did not graduate.... 4 High school graduate or GED 5 Some college or 2-year degree 6 4-year college graduate 7 More than 4-year college degree..... 8 MISSING/DK M	Alphanumeric character	1	Yes

PATIENT RESPONSE RECORD (continued)

XML Element	Attributes	Description	Valid Values	Data Type	Field Size	Data Element Required
Q57 <language-spoken> Each element must have a closing tag that is the same as the opening tag but with a forward slash. This patient response data element should only occur once per patient. Example: <language-spoken>1</language-spoken>	None	What language do you mainly speak at home?	English..... 1 Spanish 2 Chinese 3 Samoan 4 Russian 5 Vietnamese 6 Portuguese 7 Some other language.. 8 MISSING/DK M	Alphanumeric character	1	Yes
Q58-phone <not-hispanic-phone> Each element must have a closing tag that is the same as the opening tag but with a forward slash. This patient response data element should only occur once per patient. Example: <not-hispanic-phone>1</not-hispanic-phone>	None	Are you of Spanish, Hispanic, or Latino origin or descent?	Yes 1 No 2 NOT APPLICABLE ..X MISSING/DK M	Alphanumeric character	1	Yes

PATIENT RESPONSE RECORD (continued)

XML Element	Attributes	Description	Valid Values	Data Type	Field Size	Data Element Required
Q58a-phone <hispanic-phone> Each element must have a closing tag that is the same as the opening tag but with a forward slash. This patient response data element should only occur once per patient. Example: <hispanic-phone>1</hispanic-phone>	None	Would you say you are...	Puerto Rican 1 Mexican, Mexican American, Chicano..... 2 Cuban 3 Other Spanish/Hispanic/Latino 4 NOT APPLICABLE ..X MISSING/DK M	Alphanumeric character	1	Yes
Q58-mail <not-hispanic-mail> Each element must have a closing tag that is the same as the opening tag but with a forward slash. This patient response data element should only occur once per patient. Example: <not-hispanic-mail>1</not-hispanic-mail>	None	Are you of Spanish, Hispanic, or Latino origin or descent?	No, not Spanish/Hispanic/Latino 1 Puerto Rican 2 Mexican, Mexican American, Chicano..... 3 Cuban 4 Other Spanish/Hispanic/Latino 5 NOT APPLICABLE ..X MISSING/DK M	Alphanumeric character	1	Yes
Q59-phone <race-white-phone> Each element must have a closing tag that is the same as the opening tag but with a forward slash. This patient response data element should only occur once per patient. Example: <race-white-phone>1</race-white-phone>	None	What is your race? You may choose one or more of the following. Are you...	White 1 NOT APPLICABLE ..X MISSING/DK M	Alphanumeric character	1	Yes

PATIENT RESPONSE RECORD (continued)

XML Element	Attributes	Description	Valid Values	Data Type	Field Size	Data Element Required
Q59-phone <race-african-amer-phone> Each element must have a closing tag that is the same as the opening tag but with a forward slash. This patient response data element should only occur once per patient. Example: <race-african-amer-phone>1</race-african-amer-phone>	None	What is your race? You may choose one or more of the following. Are you...	Black or African American 1 NOT APPLICABLE ..X MISSING/DK M	Alphanumeric character	1	Yes
Q59-phone <race-amer-indian-phone> Each element must have a closing tag that is the same as the opening tag but with a forward slash. This patient response data element should only occur once per patient. Example: <race-amer-indian-phone>1</race-amer-indian-phone>	None	What is your race? You may choose one or more of the following. Are you...	American Indian or Alaska Native 1 NOT APPLICABLE ..X MISSING/DK M	Alphanumeric character	1	Yes
Q59-phone <race-asian-phone> Each element must have a closing tag that is the same as the opening tag but with a forward slash. This patient response data element should only occur once per patient. Example: <race-asian-phone>1</race-asian-phone>	None	What is your race? You may choose one or more of the following. Are you...	Asian 1 NOT APPLICABLE ..X MISSING/DK M	Alphanumeric character	1	Yes

PATIENT RESPONSE RECORD (continued)

XML Element	Attributes	Description	Valid Values	Data Type	Field Size	Data Element Required
Q59-phone <race-nativehawaiian-pacific-phone> Each element must have a closing tag that is the same as the opening tag but with a forward slash. This patient response data element should only occur once per patient. Example: <race-nativehawaiian-pacific-phone>1</race-nativehawaiian-pacific-phone>	None	What is your race? You may choose one or more of the following. Are you...	Native Hawaiian or Pacific Islander..... 1 NOT APPLICABLE ..X MISSING/DKM	Alphanumeric character	1	Yes
Q59-phone <race-noneofabove-phone> Each element must have a closing tag that is the same as the opening tag but with a forward slash. This patient response data element should only occur once per patient. Example: <race-noneofabove-phone>1</race-noneofabove-phone>	None	What is your race? You may choose one or more of the following. Are you...	NONE OF ABOVE.... 1 NOT APPLICABLE ..X MISSING/DKM	Alphanumeric character	1	Yes
Q59a-phone <race-asian-indian-phone> Each element must have a closing tag that is the same as the opening tag but with a forward slash. This patient response data element should only occur once per patient. Example: <race-asian-indian-phone>1</race-asian-indian-phone>	None	Which groups best describes you? You may choose one or more of the following. Are you...	Asian Indian 1 NOT APPLICABLE ..X MISSING/DKM	Alphanumeric character	1	Yes

PATIENT RESPONSE RECORD (continued)

XML Element	Attributes	Description	Valid Values	Data Type	Field Size	Data Element Required
Q59a-phone <race-chinese-phone> Each element must have a closing tag that is the same as the opening tag but with a forward slash. This patient response data element should only occur once per patient. Example: <race-chinese-phone>1</race-chinese-phone>	None	Which groups best describes you? You may choose one or more of the following. Are you...	Chinese 1 NOT APPLICABLE ..X MISSING/DK M	Alphanumeric character	1	Yes
Q59a-phone <race-filipino-phone> Each element must have a closing tag that is the same as the opening tag but with a forward slash. This patient response data element should only occur once per patient. Example: <race-filipino-phone>1</race-filipino-phone>	None	Which groups best describes you? You may choose one or more of the following. Are you...	Filipino 1 NOT APPLICABLE ..X MISSING/DK M	Alphanumeric character	1	Yes
Q59a-phone <race-japanese-phone> Each element must have a closing tag that is the same as the opening tag but with a forward slash. This patient response data element should only occur once per patient. Example: <race-japanese-phone>1</race-japanese-phone>	None	Which groups best describes you? You may choose one or more of the following. Are you...	Japanese..... 1 NOT APPLICABLE ..X MISSING/DK M	Alphanumeric character	1	Yes

PATIENT RESPONSE RECORD (continued)

XML Element	Attributes	Description	Valid Values	Data Type	Field Size	Data Element Required
Q59a-phone <race-korean-phone> Each element must have a closing tag that is the same as the opening tag but with a forward slash. This patient response data element should only occur once per patient. Example: <race-korean-phone>1</race-korean-phone>	None	Which groups best describes you? You may choose one or more of the following. Are you...	Korean 1 NOT APPLICABLE ..X MISSING/DK M	Alphanumeric character	1	Yes
Q59a-phone <race-vietnamese-phone> Each element must have a closing tag that is the same as the opening tag but with a forward slash. This patient response data element should only occur once per patient. Example: <race-vietnamese-phone>1</race-vietnamese-phone>	None	Which groups best describes you? You may choose one or more of the following. Are you...	Vietnamese 1 NOT APPLICABLE ..X MISSING/DK M	Alphanumeric character	1	Yes
Q59a-phone <race-otherasian-phone> Each element must have a closing tag that is the same as the opening tag but with a forward slash. This patient response data element should only occur once per patient. Example: <race-otherasian-phone>1</race-otherasian-phone>	None	Which groups best describes you? You may choose one or more of the following. Are you...	Other Asian 1 NOT APPLICABLE ..X MISSING/DK M	Alphanumeric character	1	Yes

PATIENT RESPONSE RECORD (continued)

XML Element	Attributes	Description	Valid Values	Data Type	Field Size	Data Element Required
Q59a-phone <race-noneofabove-asian-phone> Each element must have a closing tag that is the same as the opening tag but with a forward slash. This patient response data element should only occur once per patient. Example: <race-noneofabove-asian-phone>1</race-noneofabove-asian-phone>	None	Which groups best describes you? You may choose one or more of the following. Are you...	NONE OF ABOVE.... 1 NOT APPLICABLE ..X MISSING/DK M	Alphanumeric character	1	Yes
Q59b-phone <race-nativehawaiian-phone> Each element must have a closing tag that is the same as the opening tag but with a forward slash. This patient response data element should only occur once per patient. Example: <race-nativehawaiian-phone>1</race-nativehawaiian-phone>	None	Which groups best describes you? You may choose one or more of the following. Are you...	Native Hawaiian..... 1 NOT APPLICABLE ..X MISSING/DK M	Alphanumeric character	1	Yes
Q59b-phone <race-guam-chamarro-phone> Each element must have a closing tag that is the same as the opening tag but with a forward slash. This patient response data element should only occur once per patient. Example: <race-guam-chamarro-phone>1</race-guam-chamarro-phone>	None	Which groups best describes you? You may choose one or more of the following. Are you...	Guamanian or Chamorro..... 1 NOT APPLICABLE ..X MISSING/DK M	Alphanumeric character	1	Yes

PATIENT RESPONSE RECORD (continued)

XML Element	Attributes	Description	Valid Values	Data Type	Field Size	Data Element Required
Q59b-phone <race-samoan-phone> Each element must have a closing tag that is the same as the opening tag but with a forward slash. This patient response data element should only occur once per patient. Example: <race-samoan-phone>1</race-samoan-phone>	None	Which groups best describes you? You may choose one or more of the following. Are you...	Samoan..... 1 NOT APPLICABLE ..X MISSING/DKM	Alphanumeric character	1	Yes
Q59b-phone <race-otherpacificislander-phone> Each element must have a closing tag that is the same as the opening tag but with a forward slash. This patient response data element should only occur once per patient. Example: <race-otherpacificislander-phone>1</race-otherpacificislander-phone>	None	Which groups best describes you? You may choose one or more of the following. Are you...	Other Pacific Islander..... 1 NOT APPLICABLE ..X MISSING/DKM	Alphanumeric character	1	Yes
Q59b-phone <race-noneofabove-pacific-phone> Each element must have a closing tag that is the same as the opening tag but with a forward slash. This patient response data element should only occur once per patient. Example: <race-noneofabove-pacific-phone>1</race-noneofabove-pacific-phone>	None	Which groups best describes you? You may choose one or more of the following. Are you...	NONE OF ABOVE.... 1 NOT APPLICABLE ..X MISSING/DKM	Alphanumeric character	1	Yes

PATIENT RESPONSE RECORD (continued)

XML Element	Attributes	Description	Valid Values	Data Type	Field Size	Data Element Required
Q59-mail <race-white-mail> Each element must have a closing tag that is the same as the opening tag but with a forward slash. This patient response data element should only occur once per patient. Example: <race-white-mail>1</race-white-mail>	None	What is your race? (One or more categories may be selected.)	White 1 NOT APPLICABLE ..X MISSING/DK M	Alphanumeric character	1	Yes
Q59-mail <race-african-amer-mail> Each element must have a closing tag that is the same as the opening tag but with a forward slash. This patient response data element should only occur once per patient. Example: <race-african-amer-mail>1</race-african-amer-mail>	None	What is your race? (One or more categories may be selected.)	Black or African American 1 NOT APPLICABLE ..X MISSING/DK M	Alphanumeric character	1	Yes
Q59-mail <race-amer-indian-mail> Each element must have a closing tag that is the same as the opening tag but with a forward slash. This patient response data element should only occur once per patient. Example: <race-amer-indian-mail>1</race-amer-indian-mail>	None	What is your race? (One or more categories may be selected.)	American Indian or Alaska Native 1 NOT APPLICABLE ..X MISSING/DK M	Alphanumeric character	1	Yes

PATIENT RESPONSE RECORD (continued)

XML Element	Attributes	Description	Valid Values	Data Type	Field Size	Data Element Required
Q59-mail <race-asian-indian-mail> Each element must have a closing tag that is the same as the opening tag but with a forward slash. This patient response data element should only occur once per patient. Example: <race-asian-indian-mail>1</race-asian-indian-mail>	None	What is your race? (One or more categories may be selected.)	Asian Indian 1 NOT APPLICABLE ..X MISSING/DK M	Alphanumeric character	1	Yes
Q59-mail <race-chinese-mail> Each element must have a closing tag that is the same as the opening tag but with a forward slash. This patient response data element should only occur once per patient. Example: <race-chinese-mail>1</race-chinese-mail>	None	What is your race? (One or more categories may be selected.)	Chinese 1 NOT APPLICABLE ..X MISSING/DK M	Alphanumeric character	1	Yes
Q59-mail <race-filipino-mail> Each element must have a closing tag that is the same as the opening tag but with a forward slash. This patient response data element should only occur once per patient. Example: <race-filipino-mail>1</race-filipino-mail>	None	What is your race? (One or more categories may be selected.)	Filipino 1 NOT APPLICABLE ..X MISSING/DK M	Alphanumeric character	1	Yes

PATIENT RESPONSE RECORD (continued)

XML Element	Attributes	Description	Valid Values	Data Type	Field Size	Data Element Required
Q59-mail <race-japanese-mail> Each element must have a closing tag that is the same as the opening tag but with a forward slash. This patient response data element should only occur once per patient. Example: <race-japanese-mail>1</race-japanese-mail>	None	What is your race? (One or more categories may be selected.)	Japanese..... 1 NOT APPLICABLE ..X MISSING/DK M	Alphanumeric character	1	Yes
Q59-mail <race-korean-mail> Each element must have a closing tag that is the same as the opening tag but with a forward slash. This patient response data element should only occur once per patient. Example: <race-korean-mail>1</race-korean-mail>	None	What is your race? (One or more categories may be selected.)	Korean 1 NOT APPLICABLE ..X MISSING/DK M	Alphanumeric character	1	Yes
Q59-mail <race-vietnamese-mail> Each element must have a closing tag that is the same as the opening tag but with a forward slash. This patient response data element should only occur once per patient. Example: <race-vietnamese-mail>1</race-vietnamese-mail>	None	What is your race? (One or more categories may be selected.)	Vietnamese..... 1 NOT APPLICABLE ..X MISSING/DK M	Alphanumeric character	1	Yes

PATIENT RESPONSE RECORD (continued)

XML Element	Attributes	Description	Valid Values	Data Type	Field Size	Data Element Required
Q59-mail <race-otherasian-mail> Each element must have a closing tag that is the same as the opening tag but with a forward slash. This patient response data element should only occur once per patient. Example: <race-otherasian-mail>1</race-otherasian-mail>	None	What is your race? (One or more categories may be selected.)	Other Asian 1 NOT APPLICABLE ..X MISSING/DK M	Alphanumeric character	1	Yes
Q59-mail <race-nativehawaiian-mail> Each element must have a closing tag that is the same as the opening tag but with a forward slash. This patient response data element should only occur once per patient. Example: <race-nativehawaiian-mail>1</race-nativehawaiian-mail>	None	What is your race? (One or more categories may be selected.)	Native Hawaiian..... 1 NOT APPLICABLE ..X MISSING/DK M	Alphanumeric character	1	Yes
Q59-mail <race-guamanian-chamorro-mail> Each element must have a closing tag that is the same as the opening tag but with a forward slash. This patient response data element should only occur once per patient. Example: <race-guamanian-chamorro-mail>1</race-guamanian-chamorro-mail>	None	What is your race? (One or more categories may be selected.)	Guamanian or Chamorro..... 1 NOT APPLICABLE ..X MISSING/DK M	Alphanumeric character	1	Yes

PATIENT RESPONSE RECORD (continued)

XML Element	Attributes	Description	Valid Values	Data Type	Field Size	Data Element Required
Q59-mail <race-samoan-mail> Each element must have a closing tag that is the same as the opening tag but with a forward slash. This patient response data element should only occur once per patient. Example: <race-samoan-mail>1</race-samoan-mail>	None	What is your race? (One or more categories may be selected.)	Samoan 1 NOT APPLICABLE ..X MISSING/DK M	Alphanumeric character	1	Yes
Q59-mail <race-other-pacificislander-mail> Each element must have a closing tag that is the same as the opening tag but with a forward slash. This patient response data element should only occur once per patient. Example: <race-other-pacificislander-mail>1</race-other-pacificislander-mail>	None	What is your race? (One or more categories may be selected.)	Other Pacific Islander 1 NOT APPLICABLE ..X MISSING/DK M	Alphanumeric character	1	Yes
Q60-mail <help-you> Each element must have a closing tag that is the same as the opening tag but with a forward slash. This patient response data element should only occur once per patient. Example: <help-you>1</help-you>	None	Did someone help you complete this survey?	Yes 1 No 2 NOT APPLICABLE ..X MISSING/DK M	Alphanumeric character	1	Yes

PATIENT RESPONSE RECORD (continued)

XML Element	Attributes	Description	Valid Values	Data Type	Field Size	Data Element Required
Q61-mail <who-helped> Each element must have a closing tag that is the same as the opening tag but with a forward slash. This patient response data element should only occur once per patient. Example: <who-helped>1</who-helped>	None	Who helped you complete this survey?	A family member 1 A friend 2 A staff member at the dialysis center 3 Someone else 4 NOT APPLICABLE ..X MISSING/DK M	Alphanumeric character	1	Yes
Q62-mail <help-read> Each element must have a closing tag that is the same as the opening tag but with a forward slash. This patient response data element should only occur once per patient. Example: <help-read>1</help-read>	None	How did that person help you? Check all that apply.	Read the questions to me 1 NOT APPLICABLE ..X MISSING/DK M	Alphanumeric character	1	Yes
Q62-mail <help-wrote> Each element must have a closing tag that is the same as the opening tag but with a forward slash. This patient response data element should only occur once per patient. Example: <help-wrote>1</help-wrote>	None	How did that person help you? Check all that apply.	Wrote down the answers I gave 1 NOT APPLICABLE ..X MISSING/DK M	Alphanumeric character	1	Yes

PATIENT RESPONSE RECORD (continued)

XML Element	Attributes	Description	Valid Values	Data Type	Field Size	Data Element Required
Q62-mail <help-answer> Each element must have a closing tag that is the same as the opening tag but with a forward slash. This patient response data element should only occur once per patient. Example: <help-answer>1</help-answer>	None	How did that person help you? Check all that apply.	Answered the questions for me 1 NOT APPLICABLE ..X MISSING/DKM	Alphanumeric character	1	Yes
Q62-mail <help-translate> Each element must have a closing tag that is the same as the opening tag but with a forward slash. This patient response data element should only occur once per patient. Example: <help-translate>1</help-translate>	None	How did that person help you? Check all that apply.	Translated the questions into my language 1 NOT APPLICABLE ..X MISSING/DKM	Alphanumeric character	1	Yes
Q62-mail <help-other> Each element must have a closing tag that is the same as the opening tag but with a forward slash. This patient response data element should only occur once per patient. Example: <help-other>1</help-other>	None	How did that person help you? Check all that apply.	Helped in some other way 1 NOT APPLICABLE ..X MISSING/DKM	Alphanumeric character	1	Yes